

BLUE VALLEY INDUSTRIES, INC.





389 PARK BENCH

FRAME: 2 7/8" O.D. steel pipe with welded 3/8" x 3" steel bar contour seat supports. Permanent installation.

SLATS: 2" x 4" nominal. Available with #1 pressure treated yellow pine, clear all heart free of heart center redwood, clear douglas fir, or recycled plastic.

HARDWARE: Zinc plated.

FINISH: Polyester powder coated frame.

MODEL NO.

#389-6T 6' Treated Pine

#389-6R 6' Redwood

#389-6D 6' Douglas Fir

#389-6PL 6' Recycled Plastic

343 RECEPTACLE

FRAME: 1/4" x 2" and 1/4" x 1" steel bar.

SUPPORT: 2 3/8" O.D. steel pipe.

SLATS: 2" x 4" nominal. Available with #1 pressure treated southern yellow pine, clear all heart, free of heart center redwood, clear douglas fir, or recycled plastic.

LINER: 22 gallon or 32 gallon plastic.

HARDWARE: Zinc plated.

FINISH: Polyester powder coated frame

- Receptacle factory assembled
- Choice of permanent or surface mount support.

MODEL NO.

#343-2T 22 Gallon Treated Pine

#343-2R 22 Gallon Redwood

#343-2D 22 Gallon Douglas Fir

#343-2PL 22 Gallon Recycled Plastic

#343-3T 32 Gallon Treated Pine

#343-3R 32 Gallon Redwood

#343-3D 32 Gallon Douglas Fir

#343-3PL 32 Gallon Recycled Plastic



348 PARK BENCH

FRAME: 2" x 1" x 11 gauge wall and 2" x 2" x 11 gauge wall steel tubing. One-piece welded unit.

SEAT SURFACE: 1" square x 11 gauge wall steel tubing.

DECORATIVE PANEL: 3/8" thick steel.

FINISH: Polyester powder coated.

- Choice of permanent, surface mount or free standing supports.

MODEL NO.

348-1 6' Permanent Mount

348-2 6' Surface Mount

348-3 6' Free-Standing



349 RECEPTACLE

FRAME: 2" x 1" x 11 gauge wall and 2" x 2" x 11 gauge wall steel tubing.

DECORATIVE PANELS: 3/8" thick steel.

COVER: 11 gauge steel with stainless steel hinge and vinyl coated steel cable.

PANEL LINER: 18 gauge steel.

LINER: 22 gallon plastic.

FINISH: Polyester powder coated.

- Choice of permanent, surface mount or free standing supports.

MODEL NO.

349-1 Permanent Mount

349-2 Surface Mount

349-3 Free-Standing

296 PARK BENCH

SUPPORTS: 1/2" x 2" steel bar. One-piece welded unit. May be surface mount or freestanding.

SEAT SURFACE: 1/4" x 1 1/2" steel bar and 1 5/16" O.D. steel pipe.

FINISH: Polyester powder coated.

MODEL NO.

296-6 6' Steel Park Bench



322 & 332 RECEPTACLE

TOP RING: 3/4" diameter steel bar.

VERTICAL MEMBERS: 1/4" x 2" and 1/4" x 1" steel bar.

BASE RING: 1/4" x 3" steel bar.

COVER: 14 gauge spun steel with vinyl coated steel cable.

LINER: 22 or 32 gallon plastic.

FINISH: Polyester powder coated.

- May be freestanding or anchored to surface.

MODEL NO.

322 22 Gallon Steel Receptacle

332 32 Gallon Steel Receptacle



345 RECEPTACLE

RECEPTACLE BODY: 1/4" x 2" steel bar.

DECORATIVE RINGS: 1/2" diameter x 4" O.D. steel.

COVER: 14 gauge spun steel with vinyl coated steel cable.

LINER: 32 gallon plastic.

FINISH: Polyester powder coated.

- May be freestanding or anchored to surface.

MODEL NO.

345 32 Gallon Steel Receptacle

750 PARK BENCH

SUPPORTS: Heavy-duty cast iron.

CROSS BRACE: 1 5/16" O.D. galvanized pipe.

CENTER STRAP: 1/4" x 1" steel bar.

SLATS: 2" x 3" nominal. Available with #1 pressure treated southern yellow pine, clear all heart, free of heart center redwood, or clear douglas fir.

HARDWARE: Zinc plated.

FINISH: Polyester powder coated frame.

- Bench may be free standing or surface mounted.

MODEL NO.

- 750-6T 6' Treated Pine
- 750-6R 6' Redwood
- 750-6D 6' Douglas Fir
- 750-8T 8' Treated Pine
- 750-8R 8' Redwood
- 750-8D 8' Douglas Fir

NOTE: Custom sizes available upon request and availability.



740 PARK BENCH

SUPPORTS: Cast iron.

SLATS: 2" x 4" nominal. Available with #1 pressure treated southern yellow pine, clear all heart, free of heart center redwood, clear douglas fir, or recycled plastic.

HARDWARE: Zinc plated.

FINISH: Polyester powder coated supports.

- Bench may be free standing or surface mounted.

MODEL NO.

- 740-6T 6' Treated Pine - 2 supports
- 740-6R 6' Redwood - 2 supports
- 740-6D 6' Douglas Fir - 2 supports
- 740-6PL 6' Recycled Plastic - 3 supports

NOTE: Custom sizes available upon request and availability.



121 & 168 PARK BENCH

SUPPORTS: 2 3/8" O.D. galvanized pipe with ends capped.

SLATS: 2" x 4" nominal. Available with pressure treated southern yellow pine, clear all heart, free of heart center redwood, clear douglas fir, anodized aluminum, or recycled plastic.

HARDWARE: Zinc plated.

FINISH: Natural galvanized pipe with cold galvanizing finish on all welds.



MODEL NO.

PERMANENT STYLE BENCHES:

#121	Permanent Support Only	
#121-6T	6' Treated Pine	- 2 supports
#121-6R	6' Redwood	- 2 supports
#121-6D	6' Douglas Fir	- 2 supports
#121-6A	6' Aluminum	- 2 supports
#121-6PL	6' Recycled Plastic	- 3 supports
#121-8T	8' Treated pine	- 2 supports
#121-8R	8' Redwood	- 2 supports
#121-8D	8' Douglas Fir	- 2 supports
#121-8A	8' Aluminum	- 2 supports
#121-8PL	8' Recycled Plastic	- 3 supports

PORTABLE STYLE BENCHES:

#168	Portable Support Only	
#168-6T	6' Treated Pine	- 2 supports
#168-6R	6' Redwood	- 2 supports
#168-6D	6' Douglas Fir	- 2 supports
#168-6A	6' Aluminum	- 2 supports
#168-6PL	6' Recycled Plastic	- 3 supports
#168-8T	8' Treated pine	- 2 supports
#168-8R	8' Redwood	- 2 supports
#168-8D	8' Douglas Fir	- 2 supports
#168-8A	8' Aluminum	- 2 supports
#168-8PL	8' Recycled Plastic	- 3 supports

111 PARK BENCH

SUPPORTS: Reinforced precast concrete.

SLATS: 2" x 6" nominal. Available with #1 pressure treated southern yellow pine.

MODEL NO.

111-6T 6' Treated Pine Bench



124 PARK BENCH

SUPPORTS: 3/8" x 3" steel bar and 2 3/8" O.D. steel pipe.

SLATS: 2" x 4" nominal. Available with #1 pressure treated southern yellow pine, clear all heart, free of heart center redwood, clear douglas fir, or recycled plastic.

HARDWARE: Zinc plated.

FINISH: Polyester powder coated supports.

- Choice of permanent, surface mount, or gull-wing supports.

MODEL NO.

6' BENCH - 2 SUPPORTS

124-6T 6' Treated Pine
124-6R 6' Redwood
124-6D 6' Douglas Fir

8' BENCH - 2 SUPPORTS

124-8T 8' Treated Pine
124-8R 8' Redwood
124-8D 8' Douglas Fir

RECYCLED PLASTIC BENCH 3 SUPPORTS

124-6PL 6' Recycled Plastic
124-8PL 8' Recycled Plastic



466 PARK BENCH

SUPPORTS: 2 7/8" O.D. schedule 40 steel pipe.

SLATS: 4" x 4" nominal. Available with #1 pressure treated southern yellow pine, clear all heart, free of heart center redwood, clear douglas fir, or recycled plastic.

HARDWARE: Zinc plated.

FINISH: Polyester powder coated supports.

- Choice of permanent, or surface mount supports.

MODEL NO.

6' BENCH - 2 SUPPORTS

466-6T 6' Treated Pine
466-6R 6' Redwood
466-6D 6' Douglas Fir

8' BENCH - 2 SUPPORTS

466-8T 8' Treated Pine
466-8R 8' Redwood
466-8D 8' Douglas Fir

RECYCLED PLASTIC BENCH 3 SUPPORTS

466-6PL 6' Recycled Plastic
466-8PL 8' Recycled Plastic





560 PARK BENCH

SUPPORTS: 1/2" x 3" steel bar and 3" square x 11 ga. steel tube.

SLATS: 2" x 3" nominal. Available with #1 pressure treated southern yellow pine, clear all heart, free of heart center redwood, or clear douglas fir.

CENTER STRAP: 3/8" x 1" steel bar.

HARDWARE: Bright zinc plated.

FINISH: Polyester powder coated.

- Choice of permanent, surface mount, or gull-wing supports

MODEL NO.

560-6T 6' Treated Pine

560-6R 6' Redwood

560-6D 6' Douglas Fir

560-8T 8' Treated Pine

560-8R 8' Redwood

560-8D 8' Douglas Fir

2234 PARK BENCH

SUPPORTS: 3/8" x 4" steel bar and 2 3/8" O.D. steel pipe.

SLATS: 2" x 4" or 4" x 4" nominal. Available with #1 pressure treated southern yellow pine, clear all heart, free of heart center redwood, clear douglas fir, or recycled plastic.

HARDWARE: Zinc plated.

FINISH: Polyester powder coated.

- Available with 2x4 or 4x4 slats.
- Choice of permanent, surface mount, or gull-wing supports.



MODEL NO.

2234-62T 6' with 2x4 Treated Pine - 2 supports

2234-62R 6' with 2x4 Redwood - 2 supports

2234-62D 6' with 2x4 Douglas Fir - 2 supports

2234-62PL6' with 2x4 Recycled Plastic - 3 supports

2234-82T 8' with 2x4 Treated Pine - 2 supports

2234-82R 8' with 2x4 Redwood - 2 supports

2234-82D 8' with 2x4 Douglas Fir - 2 supports

2234-82PL8' with 2x4 Recycled Plastic - 3 supports

2234-64T 6' with 4x4 Treated Pine - 2 supports

2234-64R 6' with 4x4 Redwood - 2 supports

2234-64D 6' with 4x4 Douglas Fir - 2 supports

2234-64PL6' with 4x4 Recycled Plastic - 3 supports

2234-84T 8' with 4x4 Treated Pine - 2 supports

2234-84R 8' with 4x4 Redwood - 2 supports

2234-84D 8' with 4x4 Douglas Fir - 2 supports

2234-84PL8' with 4x4 Recycled Plastic - 3 supports

TRASH RECEPTACLES

FRAME: 1/8" x 1" steel bar and 3/8" diameter steel bar.

SUPPORT: 1 7/8" O.D. steel pipe for permanent support and 1/8" x 4" steel bar formed ring for portable mount.

SLATS: 1" x 3" nominal. Available with #1 pressure treated southern yellow pine or clear redwood.

LINER: 22 or 32 gallon plastic.

HARDWARE: Bright zinc plated.

FINISH: Frame and support painted black.

- Receptacle factory assembled.

MODEL NO.

PERMANENT MODEL

250T 22 gallon Treated Pine
250R 22 gallon Redwood

235T 32 gallon Treated Pine
235R 32 gallon Redwood

PORTABLE MODEL

248T 22 gallon Treated Pine
248R 22 gallon Redwood

236T 32 gallon Treated Pine
236R 32 gallon Redwood



101 & 201 PARK BENCH

SUPPORTS: High tensile (40-E) cast aluminum.

SLATS: 2" x 4" nominal. Available with #1 pressure treated southern yellow pine, clear all heart, free of heart center redwood, clear douglas fir, anodized aluminum, or recycled plastic.

HARDWARE: Zinc plated.



MODEL NO.

PERMANENT STYLE BENCHES:

#101	Permanent Support Only	
#101-6T	6' Treated Pine	- 2 supports
#101-6R	6' Redwood	- 2 supports
#101-6D	6' Douglas Fir	- 2 supports
#101-6A	6' Aluminum	- 2 supports
#101-6PL	6' Recycled Plastic	- 3 supports
#101-8T	8' Treated Pine	- 3 supports
#101-8R	8' Redwood	- 3 supports
#101-8D	8' Douglas Fir	- 3 supports
#101-8A	8' Aluminum	- 3 supports
#101-8PL	8' Recycled Plastic	- 3 supports

PORTABLE STYLE BENCHES:

#201	Portable Support Only	
#201-6T	6' Treated Pine	- 2 supports
#201-6R	6' Redwood	- 2 supports
#201-6D	6' Douglas Fir	- 2 supports
#201-6A	6' Aluminum	- 2 supports
#201-6PL	6' Recycled Plastic	- 3 supports
#201-8T	8' Treated Pine	- 3 supports
#201-8R	8' Redwood	- 3 supports
#201-8D	8' Douglas Fir	- 3 supports
#201-8A	8' Aluminum	- 3 supports
#201-8PL	8' Recycled Plastic	- 3 supports

PLAYER'S BENCHES

SUPPORTS: 2 3/8" O.D. galvanized pipe.

SLATS: 2" x 10" nominal. Available with #1 pressure treated southern yellow pine, or anodized aluminum.

HARDWARE: Zinc plated.

FINISH: Natural galvanized pipe with cold galvanizing finish on welds.

- Custom lengths available upon request and availability.
- Permanent or portable supports.
- Available with or without back.



PERMANENT PLAYER'S BENCH - NO BACK

#601-6T	6' Treated Pine	- 2 supports
#601-6A	6' Aluminum	- 2 supports
#601-8T	8' Treated Pine	- 2 supports
#601-8A	8' Aluminum	- 2 supports
#601-15T	15' Treated Pine	- 4 supports
#601-15A	15' Aluminum	- 3 supports

PERMANENT PLAYER'S BENCH WITH BACK

#605-6T	6' Treated Pine	- 2 supports
#605-6A	6' Aluminum	- 2 supports
#605-8T	8' Treated Pine	- 2 supports
#605-8A	8' Aluminum	- 2 supports
#605-15T	15' Treated Pine	- 4 supports
#605-15A	15' Aluminum	- 3 supports

PORTABLE PLAYER'S BENCH - NO BACK

#602-6T	6' Treated Pine	- 2 supports
#602-6A	6' Aluminum	- 2 supports
#602-8T	8' Treated Pine	- 2 supports
#602-8A	8' Aluminum	- 2 supports
#602-15T	15' Treated Pine	- 4 supports
#602-15A	15' Aluminum	- 3 supports

PORTABLE PLAYER'S BENCH WITH BACK

#606-6T	6' Treated Pine	- 2 supports
#606-6A	6' Aluminum	- 2 supports
#606-8T	8' Treated Pine	- 2 supports
#606-8A	8' Aluminum	- 2 supports
#606-15T	15' Treated Pine	- 4 supports
#606-15A	15' Aluminum	- 3 supports



1167 PARK GRILL

FIREBOX: 3/16" steel plate, 360° rotation. 15" x 20" x 10" high.

COOKING GRATE: 1/2" diameter steel bars with 5/8" diameter support handles. Equipped with cool grips and adjusts to four different height settings. 300 square-inch cooking area.

SUPPORTS: 3 1/2" O.D. steel pipe.

FINISH: Heat resistant non-toxic black enamel.

MODEL NO.

1167 Permanent Park Grill



1158 DOUBLE PARK GRILL

FIREBOX: 3/16" steel plate, 360° rotation. 24" x 36" x 10" high.

COOKING GRATE: 1/2" diameter steel bars with 5/8" diameter support handles. Equipped with cool grips and adjusts to four different height settings. 864 total square-inch cooking area.

SUPPORT: 3 1/2" O.D. galvanized pipe.

FINISH: Heat resistant non-toxic black enamel.

MODEL NO.

1158 Permanent Park Grill

1189 CAMPFIRE RING

FIRERING: 3/16" steel plate. Flips back for servicing and fire building.

COOKING GRATE: 1/2" diameter steel bars with 5/8" diameter support handles. Equipped with cool grips and adjusts to four different height settings. 285 square-inch cooking area.

ROD ANCHORS: 1/2" diameter steel bar.

FINISH: Heat resistant non-toxic black enamel.

MODEL NO.

1189 Campfire Ring w/Rod Anchors





1610 & 1611 BIKE RACK

FRAME: 1 5/8" O.D. galvanized pipe with ends capped.

SPOKES: 1/2" diameter hot dip galvanized solid steel.

HARDWARE: Bright zinc plated.

FINISH: Natural galvanized pipe with cold galvanizing finish on all welds.

MODEL NO.

1611 5' Double Face - 8 Bike capacity

1610 10' Double Face - 18 Bike capacity

1614 & 1618 BIKE RACK

FRAME: 1 5/8" O.D. & 1 5/16" O.D. galvanized pipe with ends capped.

SPOKES: 1/2" diameter hot dip galvanized solid steel.

HARDWARE: Bright zinc plated.

FINISH: Natural galvanized pipe with cold galvanizing finish on all welds.

MODEL NO.

1614 10' Double Face - 18 Bike capacity

1618 20' Double Face - 36 Bike capacity



1621 & 1622 BIKE RACK 1625 & 1624 BIKE RACK

FRAME: 1 5/8" O.D. galvanized pipe with ends capped.

SPOKES: 1/2" diameter hot dip galvanized solid steel.

HARDWARE: Bright zinc plated.

FINISH: Natural galvanized pipe with cold galvanizing finish on all welds.

MODEL NO.

1621 5' Double Face - 8 Bike capacity

1622 10' Double Face - 18 Bike capacity

1625 5' Single Face - 4 Bike capacity

1624 10' Single Face - 9 Bike capacity



1643 SERIES BIKE RACK

RACK: 2 3/8" O.D. galvanized pipe. Available in permanent or surface mount.

FINISH: Available in natural galvanized pipe or polyester powder coated finish. Loop bike racks also available in stainless steel for additional cost.

NOTE: Permanent style is standard. For surface mount add —SM to the model number.

MODEL NO.	FINISH	CAPACITY	LENGTH	CONFIGURATION
1643-2	Natural Galvanized	2 BIKES	1'-3"	
1643-2-PC	Powder Coated			
1643-5	Natural Galvanized	5 BIKES	3'-3"	
1643-5-PC	Powder Coated			
1643-7	Natural Galvanized	7 BIKES	5'3"	
1643-7-PC	Powder Coated			
1643-9	Natural Galvanized	9 BIKES	7'3"	
1643-9-PC	Powder Coated			
1643-11	Natural Galvanized	11 BIKES	9'3"	
1643-11-PC	Powder Coated			
1643-13	Natural Galvanized	13 BIKES	11'-3"	
1643-13-PC	Powder Coated			

997 SERIES PICNIC TABLE

FRAME: 3 1/2" O.D. galvanized pipe and 2 7/8" O.D. galvanized pipe. Permanent mount.

SLATS: 2" x 10" nominal. Available with #1 pressure treated southern yellow pine, or anodized aluminum.

HARDWARE: Bright zinc plated.

FINISH: Natural galvanized pipe with cold galvanizing finish on all welds.

MODEL NO.

- 997 Frame Only
- 997-6T 6' Treated Pine Picnic Table
- 997-6A 6' Aluminum Picnic Table





800 SERIES PICNIC TABLE

FRAME: 1 5/8" O.D. galvanized pipe.
BRACES: 1 5/16" O.D. galvanized pipe.
SLATS: 2" x 10" nominal. Available with #1 pressure treated southern yellow pine, anodized aluminum, or recycled plastic.
HARDWARE: Bright zinc plated.
FINISH: Natural galvanized pipe with cold galvanizing finish on all welds.

1015 SERIES PICNIC TABLE

FRAME: 2 3/8" O.D. galvanized pipe.
TOP & SEAT ANGLES: 10 ga. galvanized steel.
BRACES: 1 5/16" O.D. galvanized pipe.
SLATS: 2" x 10" nominal. Available with #1 pressure treated southern yellow pine, anodized aluminum, or recycled plastic.
HARDWARE: Bright zinc plated.
FINISH: Natural galvanized pipe.



1050 SERIES PICNIC TABLE

FRAME: 2 3/8" O.D. galvanized pipe.
BRACES: 1 5/16" O.D. galvanized pipe.
SLATS: 2" x 10" nominal. Available with #1 pressure treated southern yellow pine, anodized aluminum, or recycled plastic.
HARDWARE: Bright zinc plated.
FINISH: Natural galvanized pipe with cold galvanizing finish on all welds.

PICNIC TABLE SELECTION CHART

DESCRIPTION	800SERIESTABLES 15/8" O.D. FRAMES	1015SERIESTABLES 23/8" O.D. FRAMES	1050SERIESTABLES 23/8" O.D. FRAMES
FRAMES ONLY	#800	#1015	#1050
6' TREATED PINE	#800-6T	#1015-6T	#1050-6T
8' TREATED PINE	#800-8T	#1015-8T	#1050-8T
WHEELCHAIR ACCESSIBLE TREATED PINE	#800-HT	#1015-HT	#1050-HT
6' ALUMINUM	#800-6A	#1015-6A	#1050-6A
8' ALUMINUM	#800-8A	#1015-8A	#1050-8A
WHEELCHAIR ACCESSIBLE ALUMINUM	#800-HA	#1015-HA	#1050-HA
6' RECYCLED PLASTIC	#800-6PL	#1015-6PL	#1050-6PL
8' RECYCLED PLASTIC	#800-8PL	#1015-8PL	#1050-8PL
WHEELCHAIR ACCESSIBLE RECYCLED PLASTIC	#800-HPL	#1015-HPL	#1050-HPL

NOTE: Wheelchair accessible picnic tables utilize an additional 12" of overhang at both ends of the tabletop to accommodate a wheelchair at both ends.
 Tables utilizing recycled plastic require additional support braces.

THE BLUE VALLEY ADVANTAGE

*What is the Blue Valley Advantage? Quality craftsmanship, custom fabrication and a full line of park equipment is the **Blue Valley Advantage!***

Since 1972, Blue Valley has provided a blend of the finest in central Pennsylvania craftsmanship to bring you our unique advantage.

Have a special request? Blue Valley specializes in custom fabrication. Whether you are able to provide the specifications, or need help in designing your special requirements, our competent staff will meet your needs in a timely manner.

*Combine these special attributes with Blue Valley's long standing commitment to customer service and competitive pricing, and you get the full impact of the **Blue Valley Advantage.** Experience it today!*

TERMS AND CONDITIONS

TERMS: Net 30 days from date of invoice to approved credit. All others check with order or COD.

SPECIFICATIONS: Blue Valley reserves the right to change product design without notification.

PRICES: F.O.B. Port Royal, PA 17082 and are subject to change without notice.

SHIPMENTS: Most items are shipped knocked-down to reduce freight charges. Freight charges are determined by the carrier. Blue Valley is not responsible for loss, damage, or delay in transit. Any shortage or damage must be noted on the freight bill before accepting the shipment. Blue Valley will assist in making claims only if proper documentation is provided.

LIMITED WARRANTY

Blue Valley Industries, Inc. guarantees all materials and workmanship for one year from date of invoice with normal use, damage from vandalism excluded. For pressure treated pine, Blue Valley Industries, Inc. guarantees against deterioration from bacteria or insect infestation which impairs the structural integrity of the product. Blue Valley Industries, Inc. does not guarantee against damage from checking or warping which is a natural tendency of pressure treated pine. The warranty does not cover the cost of removing and/or installation of the replacement provided by the warranty. A copy of the original invoice must accompany all claims. Blue Valley Industries, Inc. must be notified before any corrective action is taken and reserves the right to determine whether claims will be fulfilled by replacement or other means.

SLAT OPTIONS

TREATED PINE: #1 CCA pressure treated southern yellow pine.

REDWOOD: Clear all heart, free of heart center redwood with clear sealer.

DOUGLAS FIR: Clear "C" and better douglas fir with clear sealer.

ALUMINUM: Clear anodized extruded aluminum.

RECYCLED PLASTIC: High density polyethylene with at least 90% recycled post consumer plastic. Choice of gray, cedar or weathered color.


FRAME COLOR OPTIONS

Standard powder coating colors are Black, Bronze, Red, Blue and Green. Other colors available upon request and availability for additional cost.

SUPPORT OPTIONS

Please specify type of support required. Not all items are available with the options shown below. The support options are indicated in the catalog. Anchors to be supplied by others for surface mount and gull-wing installations.

PERMANENT
SUPPORT



SURFACE MOUNT
SUPPORT



GULL-WING
SUPPORT

